

WORK SAFER. WORK SMARTER.

2019 / 2020  
MASTER CATALOG





# OUR STORY. OUR MISSION.

It all started in 1998 in a small garage workshop in Orlando, FL. Founder and Inventor, Henry Wang, was hard at work on an intricate cutting board project. Faced with the challenge of cutting thin strips on a table saw, he sought to create a solution that would allow him to cut small parts safely, accurately, and repeatably. His frustration with the inefficiency of traditional woodworking methods sparked a revolutionary new concept that would become one of the most innovative woodworking tools to come out in decades.

The groundbreaking pushblock system made its debut on the trade show circuit, and was met with praise, criticism, and everything in between. Now, the GRR-RIPPER is recognized as the #1 table saw accessory in the world, selling over 400,000 units in 20 countries (and counting!). Here at home, we continue to pursue our vision of a future without table saw injuries.

**THANK YOU FOR JOINING OUR MISSION.**

**GRR-RIPPER<sup>®</sup>** 6-7

**MICRODIAL<sup>™</sup>** 10-13

**MATCHFIT<sup>®</sup>** 14-31

**GRR-RIP BLOCK<sup>™</sup>** 32-35

**ZEROPLAY<sup>®</sup>** 36-41

**MJ SPLITTER<sup>™</sup>** 42-47

**BLADEMATCH<sup>™</sup>** 48-51


2019 / 2020 MICROJIG Product List 52-53

**GRR-RIPPER®**

**INSTANTLY SAFER  
ON ANY TABLESAW**

See the GRR-RIPPER in action. [microjig.com/grr-ripper](http://microjig.com/grr-ripper)

MADE IN THE  
**USA** 



# PROTECT HANDS AND PREVENT KICKBACK.

The GRR-RIPPER 3D Pushblock is engineered to give you the most accurate cuts possible while protecting your hands at all times. No other pushblock offers this level of precision, control, and safety. Make difficult cuts with ease and prevent kickback like never before.

## 1 PROTECT HANDS

The Moving-Blade-Guard™ shields your hands from the blade.

## 2 CONTROL BOTH SIDES OF STOCK

Adjustable Center Leg controls the keeper and off-cut of the workpiece.

## 3 EXTREME GRIP

Proprietary Green GRR-RIP non-slip material provides superior gripping power.

See the GRR-RIPPER in action.

[microjig.com/grr-ripper](http://microjig.com/grr-ripper)



THE GRR-RIPPER PROVIDES THREE DIRECTIONS OF FORCE GIVING YOU SUPERIOR PRECISION, CONTROL AND SAFETY.

- 3D PUSH BLOCK**
- ↓ **DOWNWARD** Virtually eliminates kickback
  - ← **INWARD** Keeps stock firmly against the fence
  - **FORWARD** Controls and feeds both sides of the stock for a cleaner cut

## 4 BETTER, SAFER RESAWING

The Stabilizing Plate acts as a moving featherboard, keeping narrow pieces upright and parallel to the blade with two additional points of contact.

# GRR-RIPPER® 3D PUSHBLOCK SYSTEMS



## GRR-RIPPER 3D Pushblock

SKU: **GR-100**  
 Weight: 1.8lbs  
 Dimensions: 8.25" x 6.25" x 2.5"  
 Main Parts:

- Main body
- 1/2" Leg
- 1/4" Leg
- Center Leg
- Handle
- Balance Support
- Hardware




## GRR-RIPPER Advanced

SKU: **GR-200**  
 Weight: 2.3lbs  
 Dimensions: 9.0" x 6.625" x 3.0"  
 Main Parts:

- Main body
- 1/2" Leg
- 1/4" Leg
- Center Leg
- Handle
- Balance Support
- Hardware

### Accessories Included


- Stabilizing Plate
- Adjustable Spacer



## GRR-RIPPER Complete

SKU: **GR-281**  
 Weight: 3.9lbs  
 Dimensions: 9.0" x 8.5" x 7.0"  
 Main Parts:

- Same as GR-200
- Accessories Included
- Stabilizing Plate
  - Adjustable Spacer
  - Deflector Connector
  - Handle Bridge Kit
  - Gravity Heel Kit
  - 1/8" Leg




## GRR-RIPPER Complete Double Pack

SKU: **GR-562**  
 Weight: 7.14lbs  
 Dimensions: 9.0" x 8.5" x 7.0"  
 Main Parts:

- Same as GR-200
- Accessories Included
- Stabilizing Plate
  - Adjustable Spacer
  - Deflector Connector
  - Handle Bridge Kit
  - Gravity Heel Kit
  - 1/8" Leg


**1 GRR-RIPPER ACCESSORY**  
1/8" Leg - GRP-11G




**2 GRR-RIPPER ACCESSORY**  
Gravity Heel kit - GRGH-040



**GRR-RIPPER ACCESSORY**  
Handle Bridge Kit - GRHB-010




**GRR-RIPPER ACCESSORY**  
Deflector / Connector - GRDC-020



# GRR-RIPPER® 3D PUSHBLOCK ACCESSORIES

**1 1/8" Leg**

Rip 1/8" thin strips safely, accurately and consistently on a table saw with the GRR-RIPPER 1/8" Leg. Features MICROJIG's proprietary Green GRR-RIP non-slip material.



**GRR-RIPPER 1/8" Leg**

SKU: **GRP-11G**  
Weight: 2.3oz  
Dimensions: 5.0" x 11.25" x 0.75"  
Main Parts: 

- 1/8" Leg
- Mounting Hardware

**2 Gravity Heel Kit**

Hooks the tail-end of your workpiece and automatically retracts mid-board. Provides extra leverage to help push through the cut and prevent blow out.



**GRR-RIPPER Gravity Heel Kit**

SKU: **GRGH-040**  
Weight: 6.4oz  
Dimensions: 5.5" x 7.63" x 1.75"  
Main Parts: 

- (5) Gravity Heels
- Mounting Hardware

**3 Handle Bridge Kit**

Unique arch design gives the handle four points of contact, evenly distributing downward pressure. Angle the handle for more ergonomic comfort. Bonus Trailing Hook included.




**GRR-RIPPER Handle Bridge Kit**

SKU: **GRHB-010**  
Weight: 4.0oz  
Dimensions: 6.0" x 9.5" x 1.0"  
Main Parts: 

- (2) Handle Bridge plates
- Trailing Hook
- Mounting Hardware

**4 Deflector / Connector**

Acts as a chip deflector preventing material from flying towards you while freehand routing. Bridge two GRR-RIPPERs to tackle longer or wider stock. Quickly connects to the Handle Bridge Kit for fast, easy and safe use.



**GRR-RIPPER Deflector / Connector**

SKU: **GRDC-020**  
Weight: 3.0oz  
Dimensions: 6.0" x 11.25" x 1.0"  
Main Parts: 

- Deflector / Connector
- Mounting Hardware

**Hardware & Parts:** All GRR-RIPPER hardware and parts can be purchased individually. Visit [MICROJIG.com](http://MICROJIG.com) to order.

**MICRODIAL™**

**INCREDIBLY  
SMART TAPERS**

See the MICRODIAL in action. [microjig.com/microdial](http://microjig.com/microdial)



MADE IN THE  
**USA** 

# THE MOST PRECISE, AND ADJUSTABLE TAPERING JIG ON THE BLOCK.

- Easily set angles by rise over run or degree with the ColorMatch dials.
- Precision tapered cutting as accurate as 1/8th of a degree.
- Works with the GRR-RIPPER for ultimate safety and control.
- Switch between two tapers quickly and easily with the built-in MemoryLocks.
- Create 2-, 4-, 6- or 8-sided tapered legs.
- Use on the router table to create custom tapered profiles for exquisite detail on your project legs.

See the MICRODIAL in action.  
[microjig.com/microdial](http://microjig.com/microdial)



## SET REPEATABLE TAPER CUTS

Switch between two tapers on a single workpiece. MemoryLocks maintain two independent stops, making repeatable cuts quick and easy.

## DIAL IN THE PERFECT TAPER



Use the rise and run ColorMatch dial to set your taper between 0" to 2" with 1/16" intervals.

Use the degree scale ColorMatch dial to set exact angles as low as 1/8th of 1° and expands from 0° to 10°.

# MICRODIAL™ TAPERING JIG

## MICRODIAL Tapering Jig


SKU: TJ-5000  
 Weight: 3lbs 4oz  
 Dimensions: 26" x 9.0" x 2.0"  
 Angle Range: 0-10° in 1/8° increments  
 Main Parts: • Tapering jig




Use it on the router table to add custom tapered profiles to your project legs.



The MemoryLocks allow you to quickly set, lock and switch between angles, saving you the time it takes to build a one-off, single use jig.



Use the Rise Over Run ColorMatch dial to set your taper between 0" to 2" with 1/16" intervals. We provide a simple step-by-step taper formula so you can eliminate the guesswork.



Use the Degree Scale ColorMatch dial to set exact angles as low as 1/8th of degree, and expands from 0 to 10 degrees with the simple turn of the dial. Measurement markings are color-coded and lock in place, so you get the exact angle you want, quickly.

Hardware & Parts: All MICRODIAL hardware and parts can be purchased individually. Visit [MICROJIG.com](http://MICROJIG.com) to order.

**MATCHFIT™**

**CLAMP LIKE  
NEVER BEFORE**

See the MATCHFIT products in action. [microjig.com/matchfit](https://microjig.com/matchfit)





# CLAMPING FREEDOM THAT GOES BEYOND THE EDGE.

Clamp virtually anywhere with the only clamping system that allows you to create your own tracks with just a router bit. MATCHFIT Dovetail Clamps are engineered to slide easily into dovetail tracks made by any standard 1/2" diameter, 14° dovetail router bit. Endless jigs and fixtures to make your projects effortlessly. Work smarter.


See the MATCHFIT Dovetail Clamps in action. [microjig.com/clamps](http://microjig.com/clamps)



## MATCHFIT<sup>®</sup> DOVETAIL CLAMPS

### MATCHFIT Dovetail Clamps

- SKU: **DVC-538K2**
- Weight: 1.6lbs
- Dimensions: 7.75" x 11.5" x 1"
- Requirements: Any standard 14°-1/2" Dovetail Router Bit
- Main Parts: • (2) Dovetail Clamps



No longer limited by the edge. The MATCHFIT Dovetail Clamp allows for unlimited fence heights. Mount directly to the table saw fence.



For flat glue-ups, route dovetail tracks into a table top to get even clamping pressure.



With a few dovetail tracks you can build straight edge or taper jigs.



MATCHFIT Dovetail Clamps have a dovetail profile and are compatible with any standard 14-Degree Dovetail Router Bit.

# CLAMP WITHOUT LIMITS.

The MATCHFIT Dovetail Clamp Pro comes with everything you need to create your own track system and take your woodworking to the next level and make every inch of your shop more functional.


With any standard 1/2" 14-degree dovetail router bit, you can create your own tracks, eliminating the need for expensive aluminum tracks.

See the MATCHFIT Dovetail Clamp Pro in action. [microjig.com/dovetailpro](http://microjig.com/dovetailpro)



## MATCHFIT<sup>®</sup> DOVETAIL CLAMP PRO

- MATCHFIT Dovetail Clamp Pro**
- SKU: **DVC-1177K2**
- Weight: 2.2lbs
- Dimensions: 7.25" x 11" x 2.25"
- Requirements: Any standard 14°-1/2" Dovetail Router Bit
- Main Parts:
- (2) Dovetail Clamps
  - Dovetail Router Bit
  - Dovetail Hardware Variety (6-Pack)
  - Setup Gauge



With the included, specially designed 1/2" 14-degree dovetail router bit, you can route your own tracks for jigs and fixtures, eliminating the need for expensive aluminum tracks.



MATCHFIT Dovetail Clamps are a perfect space-saving solution. Just route dovetail tracks in your existing work surface, tool chest, or even sawhorses.




Route dovetail tracks into a table top to get even clamping pressure.



With a few dovetail grooves you can build straight edge or taper jigs.



**MATCHFIT HARDWARE**  
Dovetail Variety Pack



**MATCHFIT HARDWARE**  
1" Dovetail Track Screw




**MATCHFIT HARDWARE**  
1.5" Dovetail Track Screw



**MATCHFIT HARDWARE**  
Dovetail Track Nut

# MATCHFIT<sup>®</sup> DOVETAIL HARDWARE



## MATCHFIT Hardware Variety Pack

SKU: **DV-HK456X4**  
 Weight: 0.20lbs  
 Dimensions: 5.1" x 7.3" x 1.6"  
 Thread: #10-32  
 Requirements: Any standard 14°-1/2" Dovetail Router Bit  
 Main Parts:
 


- (2) 1" Track Screws
- (2) 1-1/2" Track Screws
- (2) Track Nuts with screws and washers
- (2) Round Knobs
- (2) Wing Knobs
- (2) Shoulder Washers



## MATCHFIT 1" Dovetail Track Screw

SKU: **DV-HK464X4**  
 Weight: 0.20lbs  
 Dimensions: 5.1" x 7.3" x 1.6"  
 Thread: #10-32  
 Requirements: Any standard 14°-1/2" Dovetail Router Bit  
 Main Parts:
 

- (4) 1" Track Screws
- (4) Round Knobs
- (4) Shoulder Washers



## MATCHFIT 1.5" Track Screw

SKU: **DV-HK552X4**  
 Weight: 0.20lbs  
 Dimensions: 5.1" x 7.3" x 1.6"  
 Thread: #10-32  
 Requirements: Any standard 14°-1/2" Dovetail Router Bit  
 Main Parts:
 

- (4) 1.5" Track Screws
- (4) Wing Knobs



## MATCHFIT Dovetail Track Nut

SKU: **DV-HK630X4**  
 Weight: 0.20lbs  
 Dimensions: 5.1" x 7.3" x 1.6"  
 Thread: #10-32  
 Requirements: Any standard 14°-1/2" Dovetail Router Bit  
 Main Parts:
 

- (4) Track Nuts
- (4) 1" Panhead Screws
- (4) #10 Steel Washers

# MAKE FLAWLESS DADOS FOR LAP JOINTS AND INLAYS WITHOUT A DADO BLADE.

The Dado Stop references the blade's unique kerf and the actual inlay material to measure the cut. Setting up your dado cut takes just a few seconds and eliminates the need for measuring, test cuts, and wrestling with multiple blades and shims. Best of all—there's no dado blade required.

See the MATCHFIT Dado Stop in action.  
[microjig.com/dadostoppro](http://microjig.com/dadostoppro)



## MATCHFIT® DADO STOP PRO



The possibilities are limited only by your imagination. Perfectly-fitted dados, joinery, and inlays without measuring, marking, or test cuts. No stack dado set needed.

### MATCHFIT Dado Stop Pro

SKU: MF-1004  
 Weight: 1.3lbs  
 Dimensions: 8" x 4.5" x 2.8"  
 Requirements: Dovetail Clamps  
 Main Parts:
 

- Dado Stop
- Dovetail Clamp
- Setup Gauge



# MAKE FLAWLESS DADOS FOR LAP JOINTS AND INLAYS WITHOUT A DADO BLADE.

The Dado Stop references the blade's unique kerf and the actual inlay material to measure the cut. Setting up your dado cut takes just a few seconds and eliminates the need for measuring, test cuts, and wrestling with multiple blades and shims. Best of all—there's no dado blade required.

See the MATCHFIT Dado Stop in action.  
[microjig.com/dadostop](http://microjig.com/dadostop)



## MATCHFIT® DADO STOP



Set the legs of the Dado Stop to cut dados with any standard blade.



Gauge the exact width of your cross-dado for a perfect fit.



Maximum dado width: 1-5/8" with a 13/16" stacked dado .



Make air-tight box joints, surgically-precise inlays, and versatile dado cuts for your next projects.

### MATCHFIT Dado Stop

SKU: **DS-333**  
 Weight: 0.4lbs  
 Dimensions: 5.5" x 6.5" x 3.25"  
 Requirements: Dovetail Clamps  
 Main Parts: 

- Dado Stop



# FAST SETUP, PINPOINT ACCURACY.


Whether you're making dados with the Dado Stop or routing tracks for the Dovetail Clamps, the MATCHFIT Setup Gauge will make your work smarter, faster, and easier.

## Create perfect-fitting dados fast when using the MATCHFIT Dado Stop.


Lock in exact saw thickness for fast, repeatable setups.

## Set the perfect height for clearance slots and dovetail grooves when creating tracks for MATCHFIT Dovetail Clamps.

See the MATCHFIT Setup Gauge in action.  
[microjig.com/setupgauge](http://microjig.com/setupgauge)




# MATCHFIT® SETUP GAUGE



## MATCHFIT Setup Gauge

- SKU: **SG-133**
- Weight: 0.3lbs
- Dimensions: 6.5" x 6.75" x 0.5"
- Requirements: Table Saw
- Main Parts:
  - Setup Gauge




# ROUTE SILKY SMOOTH DOVETAIL TRACKS IN A SINGLE PASS.

Specially designed to route tracks for MATCHFIT Dovetail Clamps and Dovetail Hardware. The Dovetail Bit's built-in roundovers cut clean dovetail grooves in a single pass. Less time sanding, more time building.

See the MATCHFIT Dovetail Router bit in action.  
[microjig.com/dovetailbit](http://microjig.com/dovetailbit)



## MATCHFIT<sup>®</sup> DOVETAIL ROUTER BIT



### MATCHFIT Dovetail Router Bit (14°-1/2")

SKU: **MB-050-0514**  
 Weight: 0.7lbs  
 Dimensions: 1.5" x 2.75" x 1.5"  
 Requirements: Router  
 Main Parts: • Router Bit (14° - 1/2")

### MATCHFIT Dovetail Router Bit 8MM

SKU: **MB-8MM-0514**  
 Weight: 0.7lbs  
 Dimensions: 1.5" x 2.75" x 1.5"  
 Requirements: Router  
 Main Parts: • Router Bit (8MM Shank)

### MATCHFIT Dovetail Router Bit 12MM

SKU: **MB-12MM-0514**  
 Weight: 0.7lbs  
 Dimensions: 1.5" x 2.75" x 1.5"  
 Requirements: Router  
 Main Parts: • Router Bit (12MM Shank)


# PERFECT WITH THE DOVETAIL ROUTER BIT.

Specially designed to route 1/4" relief grooves in material prior to the MATCHFIT Dovetail Router Bit. The relief bit removes 55% of waste material, which reduces stress on your Dovetail Router Bit. This improves the quality of dovetail grooves and increases the overall lifespan of your MATCHFIT Dovetail Router Bit.

See the MATCHFIT Dovetail Relief bit in action.  
[microjig.com/dovetailreliefbit](http://microjig.com/dovetailreliefbit)

**MATCHFIT**

## DOVETAIL 1/4" RELIEF ROUTER BIT



### MATCHFIT Dovetail 1/4" Router Bit

SKU: **MB-050-0255T**  
 Weight: 0.3lbs  
 Dimensions: 1.5" x 2.75" x 1.5"  
 Requirements: Router  
 Main Parts: • 1/4" Router Bit



**GRR-RIP BLOCK™**

# SMART HOOK TECHNOLOGY

See the GRR-RIP BLOCK in action. [microjig.com/grr-ripblock](http://microjig.com/grr-ripblock)



MADE IN THE  
**USA** 

# THE SMART CHOICE FOR SAFETY.

Harness the ultimate gripping power of the only pushblock with Smart Hooks that knows where to grab your workpiece. GRR-RIP BLOCK's Smart Hooks drop down into position when you need them, and retract when you don't.

See the GRR-RIP BLOCK in action.  
[microjig.com/grr-ripblock](http://microjig.com/grr-ripblock)

## Gravity powered Smart Hooks

Smart Hooks automatically drop down when you need them, grabbing the tail end of the workpiece and instantly retracting mid-board. There when you need them, out of the way when you don't.

## Powerful grip

Proprietary non-slip material gives you unbelievable gripping power and command over your workpiece.



# GRR-RIP BLOCK™ SMART PUSHBLOCK



Use the 90-degree Flip Guide for veneers and resawing on the bandsaw, or for beaded face frames and other special profiles against the router table fence. No matter which way you flip it, smart hooks still fall into place.



Wield improved control over your workpiece for freehand routing while keeping your hands clear and safe. (GRR-RIP BLOCK shown here with the optional MJ Deflector/Connector accessory.)

## GRR-RIP Smart Pushblock

|               |                           |
|---------------|---------------------------|
| SKU:          | <b>GB-1</b>               |
| Weight:       | 0.14oz                    |
| Dimensions:   | 7.0" x 12.5" x 3.5"       |
| Requirements: | Table Saw/Band Saw/Router |
| Main Parts:   | • GRR-RIP BLOCK           |



MADE IN THE  
**USA**

**ZEROPLAY<sup>®</sup>**

**PRECISION  
MITER BARS**

See the ZEROPLAY miter bars in action. [microjig.com/zeroplay](http://microjig.com/zeroplay)



MADE IN THE  
**USA** 

# BUILD TABLE SAW SLEDS FAST

Create perfectly square crosscut jigs fast. The ZEROPLAY Miter Bar System takes miter bars and table saw sleds to the next level of precision. By using the One-Touch Calibration you instantly fill the full width of the miter slot for no side-to-side play.

ZEROPLAY Miter Bars and Stops will fit ANY standard (3/4" x 3/8") T-Track miter slot that measures between 0.73" and 0.79" wide, and at least 5/16" deep.

Compatible miter tracks include but not exclusive to: SawStop, Bosch 4100, Delta Unisaw, Powermatic Rigid, Dewalt, and General 350 Tracks.

*(Not compatible with table saws with 'Tabs' cast into the top of the miter slot or 5/8" miter slots i.e. Ryobi or Craftsman)*

See the ZEROPLAY in action. [microjig.com/zeroplay](http://microjig.com/zeroplay)



## One-Touch Calibration

Precision fit. No side-to-side play.

## ZEROPLAY®

## MITER BARS / MITER STOPS



### ZEROPLAY Miter Bar (Single)

SKU: **ZP9-B1**  
 Weight: 3.25oz  
 Dimensions: 12.0" x 6.5" x 0.5"  
 Requirements: Table Saw  
 Main Parts:
 

- (1) Miter Bar
- Mounting Hardware




ZEROPLAY Miter Bars adjust with a single touch, using opposing wedges to expand in the slot for a perfect fit.



### ZEROPLAY Miter Bar (Double Pack)

SKU: **ZP9-B2S2**  
 Weight: 5.3oz  
 Dimensions: 12.0" x 8.125" x 0.5"  
 Requirements: Table Saw  
 Main Parts:
 

- (2) Miter Bar
- (2) Miter Stops




ZEROPLAY Miter Bar secures from the top, allowing you to square it to the blade without taking it off the table.



### ZEROPLAY Miter Bar Stop

SKU: **ZP9-S1**  
 Weight: 0.9oz  
 Dimensions: 5.38" x 6.0" x 1.0"  
 Requirements: Table Saw  
 Main Parts:
 

- Miter Stop



Reliable and precise hold-down anchors for table saw tops and miter tracks.

# THE LAST TABLE SAW SLED YOU'LL EVER NEED.

The ZEROPLAY 360 Sled Kit combines the ease and accuracy of ZEROPLAY Miter Bars with the versatility of the all-new MATCHFIT Dovetail Hardware. Everything you need to build the most versatile sled in your shop, fast. It's a match(fit) made in heaven!

ZEROPLAY Miter Bars will fit ANY standard (3/4" x 3/8") T-Track miter slot that measures between 0.73" and 0.79" wide and at least 5/16" deep.

MATCHFIT Dovetail Hardware fits track routed with any standard 1/2" 14-degree dovetail router bit.

*(Not compatible with table saws with 'Tabs' cast into the top of the miter slot or 5/8" miter slots i.e. Ryobi or Craftsman)*

See the ZEROPLAY 360 Sled Kit in action.  
[microjig.com/zeroplay360](http://microjig.com/zeroplay360)




ZEROPLAY®

## 360 SLED KIT




The unique grid layout of dovetail tracks allows the fence 360 degrees of rotation.



No matter the angle of your cut the Miter Bars keep the sled moving parallel to the blade at all times.

### ZEROPLAY 360 Sled Kit


- SKU: **DV-360ZPB1**
- Weight: 3.25oz
- Dimensions: 12.0" x 6.5" x 0.5"
- Requirements: Table Saw
- Main Parts:
  - (1) Miter Bar
  - (4) 1.5" Dovetail Track Screws



**MJ SPLITTER™**

**ULTIMATE  
STABILITY**

See the MJ SPLITTERS in action. [microjig.com/splitters](http://microjig.com/splitters)



MADE IN THE  
**USA** 

# PREVENT KICKBACK.


Tough to the core, the MJ SPLITTER SteelPro has an ABS polymer shell reinforced with a solid stainless steel core. Able to take on the stress caused by many solid woods, the SteelPro will greatly reduce the chance of kickback on your table saw and virtually eliminate burning.

See MJ STEEL PRO SPLITTERS in action.  
[microjig.com/steelprosplitter](http://microjig.com/steelprosplitter)



## MJ SPLITTER™

## STEEL PRO SPLITTERS




### MJ SPLITTER Steel Pro 1/8" Full Kerf

SKU: **SP-2**  
 Weight: 0.45lbs  
 Dimensions: 7.5" x 9.0" x 1.0"  
 Kerf Range: 0.118 - 0.145"  
 Requirements: Table Saw Zero-clearance insert with at least 2" behind blade at highest point  
 Offsets: Reversible for offsets of 0.000", 0.003", 0.006", and 0.009"

Main Parts:

- (2) 1/8" Splitters
- (4) Kerf Keepers
- Drill Guide
- 7/64" Drill Bit
- Screws




### MJ SPLITTER Steel Pro Thin Kerf

SKU: **SP-2TK**  
 Weight: 0.45lbs  
 Dimensions: 7.5" x 9.0" x 1.0"  
 Kerf Range: 0.090 - 0.118"  
 Requirements: Table Saw Zero-clearance insert with at least 2" behind blade at highest point  
 Offsets: Reversible for offsets of 0.000", 0.003", 0.006", and 0.009"

Main Parts:

- (2) Thin Kerf Splitters
- (4) Kerf Keepers
- Drill Guide
- 5/32" Drill Bit
- Screws



# PREVENT KICKBACK.

The MJ SPLITTER easily installs on your table saw's zero clearance insert replacing the riving knife. It keeps your workpiece tight to the fence to prevent burning and keep the kerf from pinching the blade, virtually eliminating kickback.

See MJ SPLITTERS in action.  
[microjig.com/splitter](http://microjig.com/splitter)




## MJ SPLITTER™

## FULL / THIN KERF SPLITTERS




### MJ SPLITTER 1/8" Full Kerf Splitters

- SKU: **SP-0125**  
 Weight: 0.25lbs  
 Dimensions: 6.0" x 8.0" x 1.0"  
 Kerf Range: 0.118 - 0.145"  
 Requirements: Table Saw Zero-clearance insert with at least 2" behind blade at highest point  
 Offsets: Reversible for offsets of 0.000", 0.003", 0.006", and 0.009"  
 Main Parts:
  - (2) 1/8" Splitters
  - Drill Guide
  - 7/64" Drill Bit



### MJ SPLITTER Thin Kerf Splitter

- SKU: **SP-0100TK**  
 Weight: 0.25lbs  
 Dimensions: 6.0" x 8.0" x 1.0"  
 Kerf Range: 0.090 - 0.118"  
 Requirements: Table Saw Zero-clearance insert with at least 2" behind blade at highest point  
 Offsets: Reversible for offsets of 0.000", 0.003", 0.006", and 0.009"  
 Main Parts:
  - (2) Thin Kerf Splitters
  - Drill Guide
  - 5/32" Drill Bit





**BLADEMATCH™**

**ARBOR  
SHIMS**

See the BLADEMATCH Arbor Shims in action. [microjig.com/arborshims](http://microjig.com/arborshims)




# ACHIEVE PERFECT ALIGNMENT WITH EVERY BLADE IN YOUR SHOP.

Changing saw blades effectively changes the distance from the blade to the fence, making the fence scale inaccurate, and your riving knife dangerously misaligned. BLADEMATCH Arbor Shims offset variation in blade thickness, aligning every blade to the same cut line.

See BLADEMATCH arbor shims in action. [microjig.com/arborshims](http://microjig.com/arborshims)

## BLADEMATCH™

## ARBOR SHIMS



Add multiple Arbor Shims and watch your thin kerf blade magically align to the same cut line as a full kerf blade.

### BLADEMATCH Arbor Shims (6 Pack)

- SKU: **AS-6**
- Weight: 0.1lbs
- Dimensions: 3.0" x 3.0" x 0.1"
- Calibration Range: 0.003 - 0.045" in 0.001" increments.
- Requirements: Table Saw
- Main Parts:
  - 0.003" - 0.004" Shim
  - 0.005" - 0.006" Shim
  - 0.007" - 0.008" Shim
  - 0.010" - 0.020" Shim



# MICROJIG 2019 / 2020 PRODUCT LIST

## GRR-RIPPER 3D PUSHBLOCK SYSTEMS MODEL #

|                                 |        |
|---------------------------------|--------|
| GRR-RIPPER                      | GR-100 |
| GRR-RIPPER Advanced             | GR-200 |
| GRR-RIPPER Complete             | GR-281 |
| GRR-RIPPER Complete Double Pack | GR-562 |

## GRR-RIPPER ACCESSORIES MODEL #

|                        |          |
|------------------------|----------|
| 1/8" Leg               | GRP-11G  |
| Deflector/Connector    | GRDC-020 |
| GRR-RIPPER Upgrade Kit | GRAK-404 |
| Gravity Heel Kit       | GRGH-040 |
| Handle Bridge Kit      | GRHB-010 |

## GRR-RIPPER REPLACEMENT PARTS MODEL #

|                   |          |
|-------------------|----------|
| 1/2" Leg          | GRP-4    |
| 1/4" Leg          | GRP-5    |
| Adjustable Spacer | GRP-8    |
| Balance Support   | GRP-6    |
| Center Leg        | GRP-3    |
| Gravity Heels     | GRGH-045 |

## GRR-RIPPER REPLACEMENT PARTS *Continued* MODEL #

|                      |        |
|----------------------|--------|
| Handle with Hardware | GRP-1  |
| Main Body            | GRP-2  |
| 3 Leg Set            | RR-303 |
| Stabilizing Plate    | GRP-7  |

## GRR-RIPPER HARDWARE MODEL #

|                                |              |
|--------------------------------|--------------|
| 1/4-20 Oval Nut 10-Pack        | GR-H7K       |
| 1/4-20 Thumb Knob 4-Pack       | GR-H13K      |
| 10-32 Offset Oval Nut 10-Pack  | GR-H8K       |
| 10-32x1/2" Thumb Screw 4-Pack  | GR-H5K       |
| 10-32x5/8" Thumb Screw 4-Pack  | GR-H6K       |
| Black O-Ring 9/32" OD 20-Pack  | GR-H3K       |
| GRAK-404 Blue Bag Hardware     | GR-H404 Blue |
| Nylon Shoulder Washer 10-Pack  | GR-H14K      |
| Orange O-Ring 5/16" OD 20-Pack | GR-H4K       |
| GR-100 Red Bag Hardware        | GR-H100 Red  |
| T-Bolt 1/4-20x1 3/4" 10-Pack   | GR-H12K      |

## MICRODIAL MODEL #

|                        |         |
|------------------------|---------|
| MICRODIAL Tapering Jig | TJ-5000 |
|------------------------|---------|

## GRR-RIP BLOCK MODEL #

|                               |      |
|-------------------------------|------|
| GRR-RIP BLOCK Smart Pushblock | GB-1 |
|-------------------------------|------|

## ZEROPLAY MODEL #

|                                    |            |
|------------------------------------|------------|
| Miter Bar, 1 Bar                   | ZP9-B1     |
| Miter Bar System, 2 Bars + 2 Stops | ZP9-B2S2   |
| Miter Stop                         | ZP9-S1     |
| 360 Sled Kit                       | DV-360ZPB1 |

## MJ SPLITTER SYSTEMS MODEL #

|   |           |
|---|-----------|
| 1/8" Full Kerf Splitter Package (Green)         | SP-0125   |
| SteelPro 1/8" Full Kerf Splitter Package (Blue) | SP-2      |
| SteelPro Thin Kerf Splitter Package (Orange)    | SP-2TK    |
| Thin Kerf Splitter Package (Yellow)             | SP-0100TK |

## MJ SPLITTER REPLACEMENT PARTS MODEL #

|  |         |
|--|---------|
| 1/8" Full Kerf Splitters (Green)         | SP-G-P3 |
| SteelPro 1/8" Full Kerf Splitters (Blue) | SP-B-P3 |
| SteelPro Kerf Keepers (Blue)             | SP-B-P4 |
| SteelPro Kerf Keepers (Orange)           | SP-O-P4 |

## MJ SPLITTER REPLACEMENT PARTS *Continued* MODEL #

|                                       |         |
|---------------------------------------|---------|
| SteelPro Thin Kerf Splitters (Orange) | SP-O-P3 |
| Thin Kerf Splitters (Yellow)          | SP-Y-P3 |

## MATCHFIT MODEL #


|                                |            |
|--------------------------------|------------|
| Dovetail Clamps                | DVC-538K2  |
| Dovetail Clamp Pro             | DVC-1177K2 |
| Dovetail Hardware Variety Pack | DV-HK456X4 |
| Dovetail 1" Track Screw        | DV-HK464X4 |
| Dovetail 1.5" Track Screw      | DV-HK552X4 |
| Dovetail Track Nut             | DV-HK630X4 |
| Dado Stop                      | DS-333     |
| Dado Stop Pro                  | MF-1004    |
| Setup Gauge                    | SG-133     |

## BLADEMATCH MODEL #

|             |      |
|-------------|------|
| Arbor Shims | AS-6 |
|-------------|------|

## To learn more about us and our products visit MICROJIG.com

Follow us on Facebook, Twitter and Instagram with hashtag [#worksmarter](#)  
[Facebook.com/microjig](https://www.facebook.com/microjig) - [Twitter.com/microjig](https://twitter.com/microjig) - [@microjig](https://www.instagram.com/microjig)

 California Proposition 65 Warning: Some products in this catalog can expose you to chemicals including Styrene, Vinyl Chloride, Nickel and others chemicals which are known to the State of California to cause cancer. For more information visit: [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

7212 Sandscove Ct. • Winter Park, FL 32792 • USA  
Phone: 1-855-RIP-SAFE (747-7233) • International: 407-696-6695  
Email: [support@microjig.com](mailto:support@microjig.com)  
**MICROJIG.com**